



TECHNO VENEERS


Una incredibile varietà di finiture e combinazioni differenti per la creazione di ambienti contemporanei, unici e ricercati.
An incredible variety of finishes and design possibilities to create the perfect contemporary, unique and sought after ambience.

Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels

S3P5	4
S3P7,5	6
S3P10	8
S3P15	10
S3P20	12
S6P10	14
S6P13	16
S6P20	18
S10P15	20
S13P26	22
S15P28	24

Pannelli rigidi e cartelle
Rigid and wooden sheet panels

S3P3	28
S6P10 SP	30
S6P15_3	32
MILLED P4F04	34
MILLED P5F05	36
MILLED P6F06	38
MILLED P4 6 8 12	40
MILLED P10F10	42
MILLED P20F05	44
MILLED P35F15	46
WAVE P8	48
WAVE P12 19	50
WAVE P17	52
WAVE P20	54
WAVE P22	56
WAVE P23.5	58
WAVE P25	60
WAVE P30	62
WAVE P37,5	64
WAVE PLUS	66



Pannelli rigidi, flessibili
e cartelle


Rigid, flexible and wooden
sheet panels

S3P5

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



① 2,8 mm
Spessore finitura


② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 0,6 mm
Bilanciante

⑤ 5 mm
Passo delle fresature



⑥ 19 mm PANNELLO RIGIDO
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 5 mm
Mills spacing

⑥ 19 mm RIGID PANEL
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

S3P7,5

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



① 2,8 mm
Spessore finitura


② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 0,6 mm
Bilanciante

⑤ 7,5 mm
Passo delle fresature



⑥ 19 mm PANNELLO RIGIDO
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 7,5 mm
Mills spacing


⑥ 19 mm RIGID PANEL
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S3P10

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels




① 2,8 mm
Spessore finitura

② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 0,6 mm
Bilanciante



⑤ 10 mm
Passo delle fresature

⑥ 19 mm PANNELLO RIGIDO
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 10 mm
Mills spacing

⑥ 19 mm RIGID PANEL
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S3P15

Techno veneers


Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels




① 2,8 mm
Spessore finitura

② 0,5 mm
Tessuto



③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 0,6 mm
Bilanciante



⑤ 15 mm
Passo delle fresature

⑥ 19 mm PANNELLO RIGIDO
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 15 mm
Mills spacing

⑥ 19 mm RIGID PANEL
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S3P20

Techno veneers


Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels




① 2,8 mm
Spessore finitura

② 0,5 mm
Tessuto



③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 0,6 mm
Bilanciante



⑤ 20 mm
Passo delle fresature

⑥ 19 mm PANNELLO RIGIDO
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 20 mm
Mills spacing

⑥ 19 mm RIGID PANEL
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P10

Techno veneers


Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels




① 5,6 mm
Spessore finitura

② 0,5 mm
Tessuto



③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 1 mm
Bilanciante



⑤ 10 mm
Passo delle fresature

⑥ 22 mm PANNELLO RIGIDO
12 mm PANNELLO FLESSIBILE
6 mm CARTELLA
Spessore finito

① 5,6 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 10 mm
Mills spacing

⑥ 22 mm RIGID PANEL
12 mm FLEXIBLE PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

S6P13

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels




① 5,6 mm
Spessore finitura

② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 1 mm
Bilanciante



⑤ 13 mm
Passo delle fresature

⑥ 22 mm PANNELLO RIGIDO
12 mm PANNELLO FLESSIBILE
6 mm CARTELLA
Spessore finito

① 5,6 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 13 mm
Mills spacing

⑥ 22 mm RIGID PANEL
12 mm FLEXIBLE PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P20

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels




① 5,6 mm
Spessore finitura

② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 1 mm
Bilanciante

⑤ 20 mm
Passo delle fresature



⑥ 22 mm PANNELLO RIGIDO
12 mm PANNELLO FLESSIBILE
6 mm CARTELLA
Spessore finito

① 5,6 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 20 mm
Mills spacing

⑥ 22 mm RIGID PANEL
12 mm FLEXIBLE PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





S10P15

Techno veneers

Pannelli rigidi, flessibili e cartelle


Rigid, flexible and wooden sheet panels



① 8,4 mm
Spessore finitura


② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 1 mm
Bilanciante

⑤ 15 mm
Passo delle fresature



⑥ 24,4 mm PANNELLO RIGIDO
14 mm PANNELLO FLESSIBILE
8,7 mm CARTELLA
Spessore finito

① 8,4 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 15 mm
Mills spacing

⑥ 24,4 mm RIGID PANEL
14 mm FLEXIBLE PANEL
8,7 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

S13P26

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



① 11,2 mm
Spessore finitura


② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 1 mm
Bilanciante

⑤ 25,5 mm
Passo delle fresature

⑥ 27 mm PANNELLO RIGIDO
17 mm PANNELLO FLESSIBILE
11,5 mm CARTELLA
Spessore finito



① 11,2 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 25,5 mm
Mills spacing

⑥ 27 mm RIGID PANEL
17 mm FLEXIBLE PANEL
11,5 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





S15P28

Techno veneers

Pannelli rigidi, flessibili e cartelle

Rigid, flexible and wooden sheet panels



- ① 16,8 mm
Spessore finitura
- ② 0,5 mm
Tessuto
- ③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- ④ 1 mm
Bilanciante
- ⑤ 28 mm
Passo delle fresature
- ⑥ 33 mm PANNELLO RIGIDO
23 mm PANNELLO FLESSIBILE
17 mm CARTELLA
Spessore finito

- ① 16,8 mm
Finish thickness
- ② 0,5 mm
Fabric
- ③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- ④ 1 mm
Balancing material
- ⑤ 28 mm
Mills spacing
- ⑥ 33 mm RIGID PANEL
23 mm FLEXIBLE PANEL
17 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm






Pannelli rigidi e cartelle
Rigid and wooden
sheet panels

S3P3


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① 2,8 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 0,6 mm
Bilanciante
- ⑤ 5 mm
Passo delle fresature
- ⑥ 19 mm PANNELLO RIGIDO
3 mm CARTELLA
Spessore finito

- ① 2,8 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 0,6 mm
Balancing material
- ⑤ 5 mm
Mills spacing

- ⑥ 19 mm RIGID PANEL
3 mm WOODEN SHEET
Finished thickness


Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

S6P10 SP

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 10 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 10 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S6P15 3

Techno veneers


Pannelli rigidi e cartelle

Rigid and wooden sheet panels



① 5,6 mm
Spessore finitura

③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 1 mm
Bilanciante

⑤ 18 mm
Passo delle fresature

⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

① 5,6 mm
Finish thickness

③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 18 mm
Mills spacing

⑥ 22 mm RIGID PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



MILLED P4F04

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- 4 1 mm
Bilanciante
- 5 8 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- 4 1 mm
Balancing material
- 5 8 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness


Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

MILLED P5F05

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 10 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 10 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension



Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



MILLED P6F06

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- 4 1 mm
Bilanciante
- 5 12 mm
Passo delle fresature
- 6 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- 4 1 mm
Balancing material
- 5 12 mm
Mills spacing
- 6 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P4|6|8|12

Techno veneers
 Pannelli rigidi e cartelle
 Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 4/6/8/12 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 4/6/8/12 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P10F10

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 20 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness

- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material

- ⑤ 20 mm
Mills spacing

- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




MILLED P20F05

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 2,8 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 0,6 mm
Bilanciante
- ⑤ 20 mm
Passo delle fresature
- ⑥ 19 mm PANNELLO RIGIDO
3 mm CARTELLA
Spessore finito

- ① 2,8 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 0,6 mm
Balancing material
- ⑤ 20 mm
Mills spacing

- ⑥ 19 mm RIGID PANEL
3 mm WOODEN SUPPORT
Finished thickness



Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

MILLED P35F15


Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 8,4 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

- ① 8,4 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

Dimensione standard
Standard dimension



- ④ 1 mm
Bilanciante
- ⑤ 35 mm
Passo delle fresature
- ⑥ 24,4 mm PANNELLO RIGIDO
8,7 mm CARTELLA
Spessore finito



- ④ 1 mm
Balancing material
- ⑤ 35 mm
Mills spacing
- ⑥ 24,4 mm RIGID PANEL
8,7 mm WOODEN SHEET
Finished thickness

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



WAVE P8

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- 4 1 mm
Bilanciante
- 5 8 mm
Passo delle fresature
- 6 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- 4 1 mm
Balancing material
- 5 8 mm
Mills spacing
- 6 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness


Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE P12|19

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- 4 1 mm
Bilanciante
- 5 12/19 mm
Passo delle fresature
- 6 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito



- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- 4 1 mm
Balancing material
- 5 12/19 mm
Mills spacing
- 6 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness




Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE P17

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

- ④ 1 mm
Bilanciante
- ⑤ 17 mm
Passo delle fresature

- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness

- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material

- ⑤ 17 mm
Mills spacing

- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P20

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 20 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 20 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





WAVE P22

Techno veneers


Pannelli rigidi e cartelle

Rigid and wooden sheet panels



① 2,8 mm
Spessore finitura

③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 0,6 mm
Bilanciante

⑤ 20 mm
Passo delle fresature

⑥ 19 mm PANNELLO RIGIDO
3 mm CARTELLA
Spessore finito

① 2,8 mm
Finish thickness

③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 0,6 mm
Balancing material

⑤ 20 mm
Mills spacing

⑥ 19 mm RIGID PANEL
3 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P23,5

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



① 5,6 mm
Spessore finitura

③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



④ 1 mm
Bilanciante

⑤ 23,5 mm
Passo delle fresature

⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

① 5,6 mm
Finish thickness

③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 23,5 mm
Mills spacing

⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension


Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




WAVE P25

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 2,8 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 25 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 2,8 mm
Finish thickness

- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material

- ⑤ 25 mm
Mills spacing

- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness


Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE P30

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 30 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 30 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





WAVE P37,5


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 37,5 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 37,5 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SHEET
Finished thickness


Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE PLUS

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 5|10|11|12|13|16 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 5|10|11|12|13|16 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




Materiali e Finiture / Material and Finishes

Supporto disponibile per cartelle
Available support for wooden sheet




TNT tessuto non tessuto precollato
Pre-glued non-woven fabric TNT

Supporti disponibili per pannelli flessibili
Available supports for flexible panels



Pannello MDF Ignifugo - Idrofugo - CARB2
Pannello MDF pasta nera
MDF panel Fireproof - Waterproof - CARB2
Black MDF panel
Pannello multistrato
Multi-layer panel

Supporti disponibili per pannelli rigidi
Available supports for rigid panels



Pannello MDF Ignifugo - Idrofugo - CARB2
Pannello MDF pasta nera
MDF panel Fireproof - Waterproof - CARB2
Black MDF panel
Pannello multistrato
Multi-layer panel

Tutti i prodotti della collezione TECHNO VENEERS sono disponibili in 12 finiture di precomposto di legno
All products in the TECHNO VENEERS collection are available in 12 reconstituted veneer finishes

Makassar	American walnut	Teal blue**
Ebony	Grey oak	Lichen**
Teak	Light grey	Curry**
Oak	White oak	Peony**
Light American walnut	Gabon ebony	Bamboo natural*
Rosewood	Thermo oak	Bamboo caramel*

Su richiesta

Design personalizzato
Altri supporti e spessori
Verniciatura

On request

Custom design
Other supports and thicknesses
Painting

**Finiture

disponibili solo per
soluzioni bicolore
*Special 2440 (vena)
x 1200 mm

**Finishes

available only for
bicolor solutions
*Special 2440
(grain) x 1200 mm



DESIGN
ACOUSTIC & CONTRACT